





Kitemark™ Certificate

This is to certify that: Super Toughened Glass Ltd

Glass House

5-9 Willen Field Road

Park Royal London **NW10 7BQ** United Kingdom

Holds Certificate Number: KM 84624

In respect of:

Safety glass BS EN 12150 and BS EN 14179

This issues the right and licence to use the Kitemark in accordance with the Kitemark Terms and Conditions governing the use of the Kitemark, as may be updated from time to time by BSI Assurance UK Ltd (the "Conditions"). All defined terms in this Certificate shall have the same meaning as in the Conditions.

The use of the Kitemark is authorized in respect of the Product(s) detailed on this Certificate provided at or from the above address.

For and on behalf of BSI: Shahm Barhom, Group Product Certification Director

First Issued: 2004-07-28 Effective Date: 2025-08-14 Latest Issue: 2025-08-14 Expiry Date: 2026-08-31

Page: 1 of 3



Kitemark™ Certificate

No. KM 84624

BS EN 12150-1:2000 - Thermally toughened soda lime silicate safety glass

BS EN 14179-1:2005 - Heat soaked thermally toughened soda lime silicate safety glass

Clear/tinted toughened glass and clear/tinted heat soaked toughened glass meeting Impact Class 1 (BS EN 12600)

Thickness (mm)	Tolerance (mm)
4.0 (including low iron)	±0.2
6.0 (including low iron)	±0.2
8.0 (including low iron)	±0.3
10.0 (including low iron)	±0.3
12.0 (including low iron)	±0.3
15.0 (including low iron)	±0.5
19.0 (including low iron)	±1.0

First Issued: 2004-07-28 Effective Date: 2025-08-14 Latest Issue: 2025-08-14 Expiry Date: 2026-08-31

Page: 2 of 3

This certificate has been issued by and remains the property of BSI Assurance UK Ltd, Kitemark Court, Davy Avenue, Knowlhill, Milton Keynes MK5 8PP, United Kingdom and should be returned immediately upon request.

To check its validity telephone +44 (0) 345 080 9000. An electronic certificate can be authenticated online.

Kitemark™ Certificate

No. KM 84624

BS EN 12150-1:2000 - Thermally toughened soda lime silicate safety glass

Coated toughened glass meeting Impact Class 1 (BS EN 12600)

Coating	Thickness (mm)	Tolerance (mm)	
Pilkington K	4.0	±0.2	
Pilkington K	6.0	±0.2	
Top NT	4.0	±0.2	
Top NT	6.0	±0.2	
Activ Neutral	4.0	±0.2	
Activ Neutral	6.0	±0.2	
Planitherm Total	4.0	±0.2	
Planitherm Total	6.0	±0.2	
Solar Control	4.0	±0.2	
Solar Control	6.0	±0.2	
Solar Control	8.0	±0.3	
Solar Control	10.0	±0.3	
Softcoat	8.0	±0.3	
Softcoat	10.0	±0.3	

Patterned toughened glass meeting Impact Class A (BS 6206) and Class 1 (BS EN 12600) in 4mm thickness

Autumn	Cotswold	Mayflower	Sycamore
Arctic	Digital	Minster	Tafetta
Chantilly	Everglade	Oak	Warwick
Charcoal Sticks	Flemish	Pelerine	
Contour	Florielle	Stippolyte	

First Issued: 2004-07-28 Effective Date: 2025-08-14 Latest Issue: 2025-08-14 Expiry Date: 2026-08-31

Page: 3 of 3

This certificate has been issued by and remains the property of BSI Assurance UK Ltd, Kitemark Court, Davy Avenue, Knowlhill, Milton Keynes MK5 8PP, United Kingdom and should be returned immediately upon request.

To check its validity telephone +44 (0) 345 080 9000. An electronic certificate can be authenticated online.